



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/611,774	06/30/2003	Michael J. Zwilling	MSFT-1746/301620.1	1910
41505	7590	06/13/2006	EXAMINER	
WOODCOCK WASHBURN LLP (MICROSOFT CORPORATION) ONE LIBERTY PLACE - 46TH FLOOR PHILADELPHIA, PA 19103				LY, ANH
ART UNIT		PAPER NUMBER		
		2162		

DATE MAILED: 06/13/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/611,774	ZWILLING ET AL.	
	Examiner	Art Unit	
	Anh Ly	2162	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 24 March 2006.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-44 is/are pending in the application.
- 4a) Of the above claim(s) 20-26 is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1-19 and 27-44 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on 30 June 2003 is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
 Paper No(s)/Mail Date 07/26/2004.
- 4) Interview Summary (PTO-413)
 Paper No(s)/Mail Date. _____.
- 5) Notice of Informal Patent Application (PTO-152)
- 6) Other: _____.

DETAILED ACTION

1. This Office Action is response to Applicants' Response to Restriction Requirement filed on 03/24/2006.
2. Claims 20-26 have been cancelled without traverse.
3. Claims 1-19 and 27-44 are pending in this Application.

Claim Objections

4. Claim 3 is objected to because of the following informalities: In the first line of claim 3, "a split point" should replace with "said split point". Appropriate correction is required.

Claim Rejections - 35 USC § 101

5. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 19 and 27 are rejected under 35 U.S.C. 101 because computer readable medium carries a data signal, which is a non-statutory subject matter. Signal is clearly not a "process". It is not a series of steps. It does not itself perform any useful, concrete and tangible result. (1D. Chisum, Patents 1.02 (1994) and Corning v. Burden, 56 U.S. (15 How.) 252, 267 (1854).

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

8. Claims 1-19 and 27-44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pub. No.: US 2004/0054643 A1 of Vemuri et al. (hereinafter Vemuri) in view of Pub. No. US 2002/0091718 A1 of Bohannon et al. (hereinafter Bohannon).

With respect to claim 1, Vemuri teaches a method for providing a database view comprising transaction-consistent data reflecting the contents of a database at a specific point in time, said database comprising data elements and associated with a transaction log, said transaction log comprising active transactions and inactive transactions, said database view comprising difference storage for storing prior versions of at least one of said data elements from said database (allowing different transactions

to view database data from different point in time and creating multiple versions of database view data such as transactions corresponding to point in time, thus having difference storage based on the version's difference from the current version to prior version: sections 0003, 0005 and 0034), said method comprising:

finding each transaction on said transaction log prior to said split point which performs modifications on said database (all transactions must be taken and committed at the same time; any changes made by that transaction to the database are rollback such that the database is returned to its pre-existing state from immediately prior to the aborted transaction: sections 0002 and 0004-0005);

storing each of said modifications in said difference storage (using multiple versioning to allow different transactions to view database data from different points in time, that is, difference storage for storing prior version and current version: sections 0005 and 0020-0023);

finding each active transaction on said transaction log prior to said split point (transaction log containing records that can be maintained to allow suitable recovery operations in the event of a system failure or aborted transaction and it includes active and non-active transaction records: sections 0003-0004 and 0053-0055); and

undoing any corresponding modifications in said difference storage (undoing records being maintained to log undo information for the database: sections 0005, 0007 and 0021-0023).

Vemuri teaches allowing different transactions to view database data from different point in time and creating multiple versions of database such as split point on

the transaction corresponding the point in time, thus having difference storage based on the version's difference from the current and prior version and undoing information for the database and transaction log. Vemuri does not clearly teach determining a split point on said transaction log corresponding to said point in time.

However, Bohannon teaches determining splitting log records spanning protection boundaries into multiple pieces at any point in time a transaction's undo of logical actions in the multi-level recovery (abstract and sections 0076 and 0121).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Vemuri with the teachings of Bohannon. One having ordinary skill in the art would have found it motivated to utilize the use of determining of splitting log records for at any point in time for recovery system in multi-level recovery process as disclosed (Bohannon's abstract and sections 0076 and 0212), into the system of Vemuri for the purpose of detecting and recovering from data corruption of a database and by logging information about reads of the database (Bohannon's sections 0003, 0011 and 0014).

With respect to claim 2, Vemuri teaches initializing said difference storage (fig. 2 and section 0027).

With respect to claims 3-5, Vemuri teaches a method for providing a data view as discussed in claim 1.

Vemuri teaches allowing different transactions to view database data from different point in time and creating multiple versions of database such as split point on the transaction corresponding the point in time, thus having difference storage based on

the version's difference from the current and prior version and undoing information for the database and transaction log. Vemuri does not clearly teach a split point on and page table; and undoing any corresponding modifications in said difference storage comprises deleting said corresponding modifications.

However, Bohannon teaches determining splitting log records spanning protection boundaries into multiple pieces at any point in time a transaction's undo of logical actions in the multi-level recovery (abstract and sections 0076 and 0121) and dirty page table (sections 0030, 0074 and 0081); and deleting transaction model in the undoing process (sections 0017 and 0142).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Vemuri with the teachings of Bohannon. One having ordinary skill in the art would have found it motivated to utilize the use of determining of splitting log records for at any point in time for recovery system in multi-level recovery process as disclosed (Bohannon's abstract and sections 0076 and 0212), into the system of Vemuri for the purpose of detecting and recovering from data corruption of a database and by logging information about reads of the database (Bohannon's sections 0003, 0011 and 0014).

With respect to claim 6, Vemuri teaches a method for providing a data view as discussed in claim 1.

Vemuri teaches allowing different transactions to view database data from different point in time and creating multiple versions of database such as split point on the transaction corresponding the point in time, thus having difference storage based on

the version's difference from the current and prior version and undoing information for the database and transaction log. Vemuri does not clearly teach reading corresponding unmodified data in said database; and writing said corresponding unmodified data in said difference storage.

However, Bohannon teaches logging information about reads of a database and writing log records (abstract, sections 0014, 0017-0018, 0035 and 0044).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Vemuri with the teachings of Bohannon. One having ordinary skill in the art would have found it motivated to utilize the use of determining of splitting log records for at any point in time for recovery system in multi-level recovery process as disclosed (Bohannon's abstract and sections 0076 and 0212), into the system of Vemuri for the purpose of detecting and recovering from data corruption of a database and by logging information about reads of the database (Bohannon's sections 0003, 0011 and 0014).

With respect to claims 7-9, Vemuri teaches a method for providing a data view as discussed in claim 1.

Vemuri teaches allowing different transactions to view database data from different point in time and creating multiple versions of database such as split point on the transaction corresponding the point in time, thus having difference storage based on the version's difference from the current and prior version and undoing information for the database and transaction log. Vemuri does not clearly teach wherein each of said data elements comprises a page of data; wherein said difference storage comprises at

least one sparse file; and wherein said step of storing each of said modifications in said difference storage comprises allocating a region of memory in one of said sparse files.

However, Bohannon teaches data pages storing in the dirty page table (sections 0030); database files in the processing log and lock data (sections 0027-0029); and allocating the storage for storing data files in the system (section 0027).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Vemuri with the teachings of Bohannon. One having ordinary skill in the art would have found it motivated to utilize the use of determining of splitting log records for at any point in time for recovery system in multi-level recovery process as disclosed (Bohannon's abstract and sections 0076 and 0212), into the system of Vemuri for the purpose of detecting and recovering from data corruption of a database and by logging information about reads of the database (Bohannon's sections 0003. 0011 and 0014).

With respect to claim 10, Vemuri teaches a method for providing a data view as discussed in claim 1.

Vemuri teaches allowing different transactions to view database data from different point in time and creating multiple versions of database such as split point on the transaction corresponding the point in time, thus having difference storage based on the version's difference from the current and prior version and undoing information for the database and transaction log. Vemuri does not clearly teach for each page: first stored data indicating whether said page has been stored in said difference

storage; and second stored data indicating whether said region has been allocated in said difference storage.

However, Bohannon teaches data pages storing in the dirty page table (sections 0030); database files in the processing log and lock data (sections 0027-0029); regions of a database and by logging information about reads of the database and a checksum of the value of about reads (read logging (sections 0013, 0017 0018 and 0048-0050); and allocating the storage for storing data files in the system (section 0027).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Vemuri with the teachings of Bohannon. One having ordinary skill in the art would have found it motivated to utilize the use of determining of splitting log records for at any point in time for recovery system in multi-level recovery process as disclosed (Bohannon's abstract and sections 0076 and 0212), into the system of Vemuri for the purpose of detecting and recovering from data corruption of a database and by logging information about reads of the database (Bohannon's sections 0003. 0011 and 0014).

With respect to claim 11, Vemuri teaches a method for providing a data view as discussed in claim 1.

Vemuri teaches allowing different transactions to view database data from different point in time and creating multiple versions of database such as split point on the transaction corresponding the point in time, thus having difference storage based on the version's difference from the current and prior version and undoing information for the database and transaction log. Vemuri does not clearly teach detecting that said

page table is invalid; for each region in said sparse files, determining whether said region has been allocated; for each region in said sparse files, setting said second stored data based on whether said region has been allocated.

However, Bohannon teaches data pages storing in the dirty page table (sections 0030); locking on pages in multi-level recovery process (sections 0071-0074) and allocating the storage for storing data files in the system (section 0027).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Vemuri with the teachings of Bohannon. One having ordinary skill in the art would have found it motivated to utilize the use of determining of splitting log records for at any point in time for recovery system in multi-level recovery process as disclosed (Bohannon's abstract and sections 0076 and 0212), into the system of Vemuri for the purpose of detecting and recovering from data corruption of a database and by logging information about reads of the database (Bohannon's sections 0003, 0011 and 0014).

With respect to claim 12, Vemuri teaches a method for providing a data view as discussed in claim 1.

Vemuri teaches allowing different transactions to view database data from different point in time and creating multiple versions of database such as split point on the transaction corresponding the point in time, thus having difference storage based on the version's difference from the current and prior version and undoing information for the database and transaction log. Vemuri does not clearly teach checking said first

stored data, and if said first stored data indicates that said specific page has been stored in said difference storage, determining that data is stored in said specific page in said difference storage; checking said second stored data, and if said second stored data indicates that said region has not been allocated in said difference storage, determining that data is not stored in said specific page in said difference storage; and if said first stored data does not indicate that said page has been stored in said difference storage and said second stored data does not indicate that said region has not been allocated in said difference storage, reading page data from a corresponding area of said difference storage for said specific page, and determining if said page data from said corresponding area is valid.

However, Bohannon teaches regions of a database and by logging information about reads of the database and a checksum of the value of about reads (read logging (sections 0013, 0017 0018 and 0048-0050).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Vemuri with the teachings of Bohannon. One having ordinary skill in the art would have found it motivated to utilize the use of determining of splitting log records for at any point in time for recovery system in multi-level recovery process as disclosed (Bohannon's abstract and sections 0076 and 0212), into the system of Vemuri for the purpose of detecting and recovering from data corruption of a database and by logging information about reads of the database (Bohannon's sections 0003. 0011 and 0014).

With respect to claims 13-14, Vemuri teaches a method for providing a data view as discussed in claim 1.

Vemuri teaches allowing different transactions to view database data from different point in time and creating multiple versions of database such as split point on the transaction corresponding the point in time, thus having difference storage based on the version's difference from the current and prior version and undoing information for the database and transaction log. Vemuri does not clearly teach for each page: first stored data indicating whether said page has been stored in said difference storage; checking said first stored data, and if said first stored data indicates that said specific page has been stored in said difference storage, determining that data is stored in said specific page in said difference storage; and if said first stored data does not indicate that said specific page has been stored in said difference storage, reading page data from a corresponding area of said difference storage for said specific page, and determining if said page data from said corresponding area is valid.

However, Bohannon teaches data pages storing in the dirty page table (sections 0030), locking on pages in multi-level recovery process (sections 0071-0074) regions of a database and by logging information about reads of the database and a checksum of the value of about reads (read logging (sections 0013, 0017 0018 and 0048-0050).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Vemuri with the teachings of Bohannon. One having ordinary skill in the art would have found it motivated to utilize the use of determining of splitting log records for at any point in time for recovery

system in multi-level recovery process as disclosed (Bohannon's abstract and sections 0076 and 0212), into the system of Vemuri for the purpose of detecting and recovering from data corruption of a database and by logging information about reads of the database (Bohannon's sections 0003, 0011 and 0014).

With respect to claim 15, Vemuri teaches accepting a request for a specific data element in said database view (abstract and sections 0031-0034);

determining if data is stored in a location corresponding to said specific data element in said difference storage (sections 0005 and 0034-0035);

responding to said request by reading said difference storage if data is stored in a location corresponding to said specific data element in said difference storage (abstract, sections 0002–0003, 0029, and 0034-0035); and

responding to said request by reading said database if data is stored in a location corresponding to said specific data element in said difference storage (sections 0029, 0034-0035, and 0038).

With respect to claim 16, Vemuri teaches where said step of determining if data is stored in a location corresponding to said specific data element in said difference storage comprises determining if said difference storage contains valid data in said location (sections 0029 and 0034-0035 and 0038).

With respect to claim 17, Vemuri teaches a method for providing a data view as discussed in claim 1.

Vemuri teaches allowing different transactions to view database data from different point in time and creating multiple versions of database such as split point on

the transaction corresponding the point in time, thus having difference storage based on the version's difference from the current and prior version and undoing information for the database and transaction log. Vemuri does not clearly teach consulting a page table.

However, Bohannon teaches data pages storing in the dirty page table (sections 0030).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Vemuri with the teachings of Bohannon. One having ordinary skill in the art would have found it motivated to utilize the use of determining of splitting log records for at any point in time for recovery system in multi-level recovery process as disclosed (Bohannon's abstract and sections 0076 and 0212), into the system of Vemuri for the purpose of detecting and recovering from data corruption of a database and by logging information about reads of the database (Bohannon's sections 0003, 0011 and 0014).

With respect to claim 18, Vemuri teaches detecting a modification made to said database storing a first specific value to a location in said database in place of a second specific data element; determining if a corresponding location in said database view contains valid data; if said corresponding location in said database view does not contain valid data, writing said second specific data element in said corresponding location (abstract, sections 0008-009, 0030, 0034-0035 and 0038).

Claim 19 is essentially the same as claim 1 except that it is directed to an operating system, a computer readable medium having stored thereon a plurality of

computer-executable instructions rather than a method, and is rejected for the same reason as applied to the claim 1 hereinabove.

Claim 27 is essentially the same as claim 1 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 1 hereinabove.

Claim 28 is essentially the same as claim 2 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 2 hereinabove.

Claim 29 is essentially the same as claim 3 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 3 hereinabove.

Claim 30 is essentially the same as claim 4 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 4 hereinabove.

Claim 31 is essentially the same as claim 5 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 5 hereinabove.

Claim 32 is essentially the same as claim 6 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 6 hereinabove.

Claim 33 is essentially the same as claim 7 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 7 hereinabove.

Claim 34 is essentially the same as claim 8 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 8 hereinabove.

Claim 35 is essentially the same as claim 9 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 9 hereinabove.

Claim 36 is essentially the same as claim 10 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 10 hereinabove.

Claim 37 is essentially the same as claim 11 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 11 hereinabove.

Claim 38 is essentially the same as claim 12 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 12 hereinabove.

Claim 39 is essentially the same as claim 13 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 13 hereinabove.

Claim 40 is essentially the same as claim 14 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 14 hereinabove.

Claim 41 is essentially the same as claim 15 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 15 hereinabove.

Claim 42 is essentially the same as claim 16 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 16 hereinabove.

Claim 43 is essentially the same as claim 17 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 17 hereinabove.

Claim 44 is essentially the same as claim 18 except that it is directed to a computer readable medium rather than a method, and is rejected for the same reason as applied to the claim 18 hereinabove.

Contact Information

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anh Ly whose telephone number is (571) 272-4039 or via E-Mail: ANH.LY@USPTO.GOV (**Written Authorization being given by Applicant (MPEP 502.03 [R-2]) or fax to (571) 273-4039 (Examiner's personal Fax No.).**) The examiner can normally be reached on TUESDAY – THURSDAY from 8:30 AM – 3:30 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Breene, can be reached on (571) 272-4107 or **Primary Examiner: Jean Corrielus (571) 272-4032.**

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). Any response to this action should be mailed to: Commissioner of Patents and Trademarks, Washington, D.C. 20231, or faxed to: **Central Fax Center: (571) 273-8300**

ANH LY
JUN. 1st, 2006



JEAN M. CORRIELUS
PRIMARY EXAMINER